

Slow Porting
Moin

bofh@freebsd.org

whoami

- bofh (B***** Operator from Hell)
- ports/doc Committer
- Professional Paranoid
- Lifelong Student
- Avid Technical Trainer
- Site Reliability Engineer in Profession

Agenda

- What is ports?
- Demystifying a port
- Tools of Trade
- Contributing to ports
- Live demo of upgrading a port

Ports

- Not TCP/IP Ports please
- A Collection of Makefiles, patches and description
- Binary packages are generated from ports
- Please do not try to mix and match ports and binary pkgs

Skeleton of a port

- Makefile: contains statements that specify how the application should be compiled and where its components should be installed. This file is a BSD Makefile not GNU Makefile(MANDATORY)
- distinfo: contains the names and checksums of the files that must be downloaded to build the port.(MANDATORY)
- files/: this directory contains any patches needed for the program to compile and install on FreeBSD. This directory may also contain other files used to build the port. (OPTIONAL)
- pkg-descr: provides a more detailed description of the program.(MANDATORY unless for slave ports or FLAVORS)
- pkg-plist: a list of all the files that will be installed by the port. It also tells the ports system which files to remove upon deinstallation.(OPTIONAL)

Additional files

- pkg-message: Display messages based on installation/deinstallation/upgrade
- pkg-install/pkg-pre-install/pkg-post-install:
Executes commands on different stages of install
- pkg-deinstall/pkg-pre-deinstall/pkg-post-deinstall:
Executes commands on different stages of deinstall

Demystifying a port

- LIVE Demo from terminal
- misc/clex

Tools of trade

- ports-mgmt/poudriere-devel
- ports-mgmt/portlint
- ports-mgmt/portfmt
- Choice of text editor
- Live demo of the usage of these tools

Setup poudriere

- `pkg install poudriere git-lite`
- Edit `/usr/local/etc/poudriere.conf`
- `poudriere jail -c -j 131 -v 13.1-RELEASE -a amd64`
- `poudriere ports -c -p jarvis -F`

Ports tree

- `cd /usr/local/poudriere/ports`
- `git clone -o freebsd --config
remote.freebsd.fetch='+refs/notes/*:refs/notes/*'
https://git.freebsd.org/ports.git jarvis`
- `cd jarvis`
- `git config --add core.hooksPath .hooks`
- `git config user.name 'Just A Rather Very Intelligent System'`
- `git config user.email jarvis@bofh.network`

git refresher

- `git checkout -b working`
- `git add/rm .`
- `git commit`
- `git format-patch main`
- `submit patch`

Contributing to ports

1. Setup a FreeBSD System
2. Preferably setup a poudriere system
3. Chose a port that is of your interest. Update or Improve the port
4. Prepare git formatted patch
5. Submit for review or bug reporting

Important Links

- [Porter's Handbook](#)
- [Poudriere](#)
- [portlint](#)
- [portfmt](#)
- [FreeBSD Code Review System](#)
- [FreeBSD Bug Submission System](#)
- [FreeBSD Ports Mailing List](#)
- [#bsdports channel at EFnet](#)

Questions

Thank you.